

MONTIGO®

# PRODIGY

Single sided

See through

Corner

Bay





# PERFECT FOR HIGH END LUXURY HOMES OR LIGHT COMMERCIAL APPLICATIONS

## COOL-PACK GLASS

Montigo's patented COOL-Pack glass technology has been designed to significantly increase safety by maintaining glass temperatures as low as 115°F (46°C). COOL-Pack technology makes it safe to touch the glass, reducing associated liability risks for the property owner.

## OVER 150 CONFIGURATIONS

Architects, designers, and homeowners alike, will appreciate the ability to feature fire in just about any location. With our proprietary power venting system and team of expert engineers, a Montigo Prodigy can be installed virtually anywhere.

# PRO

PRODIGY / PC436 / DRIFTWOOD SPECKLED STONES





# THE **PRODIGY** ADDS TRANQUILITY AND AMBIANCE TO ANY SPACE.

## COMMERCIAL GRADE

Built with a commercial grade valve and control system backed by our uncompromising quality and long-term reliability and a 10-year limited warranty.

## CSA CERTIFICATION

With Montigo's on-site lab, every standard Montigo fireplace is manufactured, tested and certified to meet stringent CSA guidelines, ensuring optimum quality, performance, and safety.



# PRODIGY

PRODIGY / PCST620 / LOWER GREENVILLE CLUBROOM / DALLAS







# BEAUTY, CREATIVITY

## PRODIGY

Single Sided  
See through

### QUICK DIMENSIONS

	PC3		PC4		PC5		PC6		PC7		PC8	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	40 <sup>1</sup> / <sub>4</sub>	42 <sup>1</sup> / <sub>4</sub>	52 <sup>1</sup> / <sub>4</sub>	54 <sup>1</sup> / <sub>4</sub>	64 <sup>1</sup> / <sub>4</sub>	66 <sup>1</sup> / <sub>4</sub>	76 <sup>1</sup> / <sub>4</sub>	78 <sup>1</sup> / <sub>4</sub>	88 <sup>1</sup> / <sub>4</sub>	90 <sup>1</sup> / <sub>4</sub>	100 <sup>1</sup> / <sub>4</sub>	102 <sup>1</sup> / <sub>4</sub>
HEIGHT <sup>o</sup>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>
SS DEPTH	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>
ST DEPTH	19 <sup>7</sup> / <sub>8</sub>	18 <sup>7</sup> / <sub>16</sub>	19 <sup>7</sup> / <sub>8</sub>	18 <sup>7</sup> / <sub>16</sub>	19 <sup>7</sup> / <sub>8</sub>	18 <sup>7</sup> / <sub>16</sub>	19 <sup>7</sup> / <sub>8</sub>	18 <sup>7</sup> / <sub>16</sub>	19 <sup>7</sup> / <sub>8</sub>	18 <sup>7</sup> / <sub>16</sub>	19 <sup>7</sup> / <sub>8</sub>	18 <sup>7</sup> / <sub>16</sub>
VIEWING	36 x H		48 x H		60 x H		72 x H		84 x H		96 x H	

Unit dimensions do not include mounting flanges

### Standard

- COOL-Pack glass system
- Multi-color LED lighting
- Intake dampers
- Choice of glass media

### Options

- Speckled stones, driftwood
- Indoor-Outdoor seal kit for see through units
- Black reflective glass<sup>†</sup>
- Flue gas dampers

<sup>†</sup> Standard in PC420 PC520 PC620 PC820

<sup>o</sup> Plus glass height

### BTU LISTING

PC\*\*3\*\*N\* / 40,000  
 PC\*\*4\*\*N\* / 50,000  
 PC\*\*5\*\*N\* / 75,000

PC\*\*6\*\*N\* / 88,000  
 PC\*\*7\*\*N\* / 100,000  
 PC\*\*8\*\*N\* / 112,000

PC\*\*3\*\*L\* / 31,000  
 PC\*\*4\*\*L\* / 52,000  
 PC\*\*5\*\*L\* / 64,000

PC\*\*6\*\*L\* / 78,000  
 PC\*\*7\*\*L\* / 105,000  
 PC\*\*8\*\*L\* / 120,000



## Features

All glass barriers, no screen required

Zero clearance


Compatible with home automation systems

Commercial grade valve, burner and control system



# AND SAFETY

### AVAILABLE DIMENSIONS



## Indoor-Outdoor

Bridge the ample beauty of the outdoors with the comfort of your indoor space. Any size see-through prodigy can be transformed into a fully sealed indoor-outdoor unit with the addition of a kit.







# TRANQUILITY & AMBIANCE

## PRODIGY

Bay  
Corner

### Standard

COOL-Pack glass system

Multi-color LED lighting

Intake dampers

Choice of glass media

### Options

Speckled stones,  
driftwood

Black reflective glass

Flue gas dampers

### QUICK DIMENSIONS

	PC3		PC4		PC5		PC6		PC7		PC8	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
BAY WIDTH	43 <sup>7</sup> / <sub>8</sub>	42 <sup>9</sup> / <sub>16</sub>	55 <sup>7</sup> / <sub>8</sub>	54 <sup>9</sup> / <sub>16</sub>	67 <sup>7</sup> / <sub>8</sub>	66 <sup>9</sup> / <sub>16</sub>	79 <sup>7</sup> / <sub>8</sub>	78 <sup>9</sup> / <sub>16</sub>	91 <sup>7</sup> / <sub>8</sub>	90 <sup>9</sup> / <sub>16</sub>	103 <sup>7</sup> / <sub>8</sub>	102 <sup>9</sup> / <sub>16</sub>
COR. WIDTH	43 <sup>7</sup> / <sub>8</sub>	43 <sup>1</sup> / <sub>4</sub>	55 <sup>7</sup> / <sub>8</sub>	55 <sup>1</sup> / <sub>4</sub>	67 <sup>7</sup> / <sub>8</sub>	67 <sup>1</sup> / <sub>4</sub>	79 <sup>7</sup> / <sub>8</sub>	79 <sup>1</sup> / <sub>4</sub>	91 <sup>7</sup> / <sub>8</sub>	91 <sup>1</sup> / <sub>4</sub>	103 <sup>7</sup> / <sub>8</sub>	103 <sup>1</sup> / <sub>4</sub>
HEIGHT <sup>°</sup>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>	23 <sup>1</sup> / <sub>4</sub>	26 <sup>3</sup> / <sub>16</sub>
DEPTH	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>	19 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>4</sub>
BAY VIEW	39 <sup>1</sup> / <sub>2</sub> x H		51 <sup>1</sup> / <sub>2</sub> x H		63 <sup>1</sup> / <sub>2</sub> x H		75 <sup>1</sup> / <sub>2</sub> x H		87 <sup>1</sup> / <sub>2</sub> x H		99 <sup>1</sup> / <sub>2</sub> x H	
COR. VIEW	43 <sup>1</sup> / <sub>2</sub> x H		55 <sup>1</sup> / <sub>2</sub> x H		67 <sup>1</sup> / <sub>2</sub> x H		79 <sup>1</sup> / <sub>2</sub> x H		91 <sup>1</sup> / <sub>2</sub> x H		103 <sup>1</sup> / <sub>2</sub> x H	

Unit dimensions do not include mounting flanges

<sup>°</sup> Plus glass height

### BTU LISTING

PC\*\*3\*\*N\* / 40,000

PC\*\*4\*\*N\* / 50,000

PC\*\*5\*\*N\* / 75,000

PC\*\*6\*\*N\* / 88,000

PC\*\*7\*\*N\* / 100,000

PC\*\*8\*\*N\* / 112,000

PC\*\*3\*\*L\* / 31,000

PC\*\*4\*\*L\* / 52,000

PC\*\*5\*\*L\* / 64,000

PC\*\*6\*\*L\* / 78,000

PC\*\*7\*\*L\* / 105,000

PC\*\*8\*\*L\* / 120,000



### Features

All glass barriers, no screen required

Zero clearance

Compatible with home automation systems

Commercial grade valve, burner and control system


10mm glass



# ANCE IN ANY SPACE

10mm glass

#### AVAILABLE DIMENSIONS







SPECKLED STONES  
RR\*\*\*SS

COPPER  
HW1143

AMBER  
HW1261

ICE  
HW1157

GLACIER  
HW1219B

PLATINUM  
HW1144

ALABASTER  
HW1260

OBSIDIAN  
HW1113

ONYX  
HW1259

# MEDIA

FROST  
HW1112

QUARTZ  
HW1106

EBONY  
HW1091

DRIFTWOOD  
LGS\*\*\*



# Unit Specifications

## PRODIGY QUICKSHIP

The following units are stocked and feature premium Glacier firestones and pre-installed black reflective glass panels. Natural gas only.  
PC420 PC520 PC620 PC820

	BTU Natural Gas	BTU Liquid Propane	Intake venting	Required B vent	Electrical requirements	Powervent Roof	Powervent Wall	Powervent In-line	Total area of free air intake
PC**3****	40,000	31,000	2 x 6"	8"	Single Phase 200-240VAC	PCSBFPV-R03-08	PCSBFPV-W03-08	PCINGPV-L03-08	56.52 sq.inches
PC**4****	50,000	52,000	2 x 8"	10"	Single Phase 200-240VAC	PCSBFPV-R03-10	PCSBFPV-W03-10	PCINGPV-L03-10	100.48 sq.inches
PC**5****	75,000	64,000	2 x 8"	10"	Single Phase 200-240VAC	PCSBFPV-R03-10	PCSBFPV-W03-10	PCINGPV-L03-10	100.48 sq.inches
PC**6****	88,000	78,000	2 x 8"	10"	Single Phase 200-240VAC	PCSBFPV-R03-10	PCSBFPV-W03-10	PCINGPV-L03-10	100.48 sq.inches
PC**7****	100,000	105,000	2 x 8"	10"	Single Phase 200-240VAC	PCSBFPV-R03-10	PCSBFPV-W03-10	PCINGPV-L03-10	100.48 sq.inches
PC**8****	112,000	120,000	2 x 10"	12"	Single Phase 200-240VAC	PCSBFPV-R03-12	PCSBFPV-W03-12	PCINGPV-L03-12	157 sq. inches

Body finish	Flue location	Intake vent locations	COOL- Pack glass temp.	Burner style	Fuel	Controls	Control cable	Wall switch cable	Damper cable
Matte black	Top	Top both sides	As low as 115°F (46°C)	See chart	Natural gas or propane	On/Off wall switch, multifunction LED remote	50'	25'	50'x2

## SHIPPING WEIGHT (TOTAL CRATED WEIGHT, FIREPLACE AND POWER VENT)

	12" High	20" High	30" High	36" High	60" High
3	690lb	745lb	800lb	850lb	1,060lb
4	770lb	845lb	920lb	990lb	1,220lb
5	850lb	945lb	1,040lb	1,130lb	1,380lb
6	930lb	1,045lb	1,160lb	1,270lb	1,540lb
7	1,010lb	1,145lb	1,280lb	1,410lb	1,700lb
8	1,090lb	1,245lb	1,400lb	1,550lb	1,860lb

Dimension table is based on single sided examples, multi-sided units may fluctuate.  
Weight table is for estimation purposes only, actual weight depends on a variety of factors such as power vent type and media choice.

## STANDARD BURNER STYLE (HIGH-LOW OR RIBBON)

	PC3 BURNER STYLE	PC4 BURNER STYLE	PC5 BURNER STYLE	PC6 BURNER STYLE	PC7 BURNER STYLE	PC8 BURNER STYLE
60"	ribbon	high-low	high-low	high-low	high-low	high-low
36"	ribbon	high-low	high-low	high-low	high-low	high-low
30"	ribbon	high-low	high-low	high-low	high-low	high-low
20"	ribbon	high-low	high-low	high-low	high-low	high-low
12"	ribbon	ribbon	ribbon	ribbon	ribbon	ribbon



**RIBBON BURNER**

**HIGH-LOW BURNER**



## 1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplace shell, resulting in one of the first zero-clearance gas fireplaces on the market.

## 1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

## 1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

## Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

### **WARNING**

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

for more inspiration go to  
[www.montigo.com](http://www.montigo.com)

**MONTIGO**<sup>®</sup>  
the art of **fireplaces**



## Our Guarantee

Montigo<sup>®</sup> stands behind the craftsmanship and durability of our products by providing a 10 year warranty on the burner and firebox on all our Prodigy fireplaces. All made using steel milled in the United States.



Printed in Canada

XB2708